

1. IDENTIFICATION OF THE PREPARATION AND COMPANY

1.1. Product name and / ore code:

Trade names: a) BASAK "J" (Interior); b) BASAK "WW" (Exterior); and c) BASAK "FaWa" (Int. & Ext.).

Intended use: protective façade coating for walls and ceilings

1.2 Manufacturer information, Name, full address and telephone of company:

BRANTH CHEMIE, A.V. BRANTH, HAMBURG – Tel. +49 40-36 97 40-0 Fax +49 40-36 71 48

Postfach 11 07, D-21503 Glinde/Hamburg * Biedenkamp 23, D-21509 Glinde/Hamburg

Information through: SALES / TECHNICAL SERVICE: +49 40-36 97 40-14

Emergency phone: Laboratories- and management: +49 40-39 92 50-10

2. COMPOSITION / INFORMATION ON INGREDIENTS

Substances presenting a health hazard within the meaning of the Dangerous Substances Directive 67/548/EEC.

Name	CAS-No.	Conc.	Symbol	R-phrases
------	---------	-------	--------	-----------

None available in the preparation

3. HAZARDS IDENTIFICATION OF THE PREPARATION

No particular hazards available

No danger symbols

4. First Aid measures

General: In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation: Remove to fresh air, keep patient warm and at rest, if breathing is irregular or stopped, administer artificial respiration. Give nothing by mouth. If unconscious, place in recovery position and seek medical advice.

Eye contact: Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart and seek medical advice.

Skin contact: Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleaner. Do **NOT** use solvents or thinners.

Ingestion: If accidentally swallowed obtain immediate medical attention. Keep at rest. Do **NOT** induce vomiting

5. FIRE-FIGHTING MEASURES

Extinguishing media: recommended: alcohol resistant foam, CO₂, powders, water spay
not to be used: water-jet

Recommendations: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
Appropriate breathing apparatus may be required.

6. ACCIDENTAL RELEASE MEASURES

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8. Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according local regulations (see section 13). Do not allow to enter drains or watercourses.

Clean preferably with detergent, avoid use of solvents.

If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

7. HANDLING AND STORAGE

7.1 Handling:

Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid concentrations higher than the occupational exposure limits.

Additionally, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard.

Preparation may charge electro-statically: always use earthen leads when transferring from one container to another.

Operators should wear anti-static footwear and clothing and floors should be of the conductive type.

10. STABILITY AND REACTIVITY

Stable under recommended storage and handling conditions. (see section 7). When exposed to high temperatures it may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke oxides of nitrogen.
Keep away from oxidising agents, strong alkaline and strong acid materials in order to avoid exothermic reactions.

11. TOXICOLOGICAL INFORMATION

There are no data available on the preparation itself.

Exposure to component solvent vapours concentration in excess of the stated occupational exposure limit may result in adverse health effect such as mucous membrane and respiratory system irritation and adverse effect on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

Liquid splashed in the eyes may cause irritation and reversible damage.

12. ECOLOGICAL INFORMATION

There are no data available on the preparation itself.

The product should not be allowed to enter drains or watercourses.

13. DISPOSAL CONSIDERATIONS

Do not allow into drains or watercourses. Waste and empty containers should be disposed of (see local directions)

14. TRANSPORT INFORMATION

Transport only in accordance with ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport.

ADR/RID: "no dangerous goods"

IMDG: Not subject to transport regulations for dangerous goods
Proper shipping name: "no dangerous goods"
Marine pollutant: no

ICAO/IATA: Not subject to transport regulations for dangerous goods
Proper shipping name: "no dangerous goods"

15. REGULATORY INFORMATION

In accordance with EG directives

Symbol:
No symbol

R-phrases
-

S-phrases
S2, S 23

16. OTHER INFORMATION

S 2 = Keep out of reach of children

S 23 = Do not inhale vapour / spray

The information of this MSDS is based on the present state of our knowledge and on current EEC and national laws. Users' working conditions are beyond our knowledge and control. The product is developed to meet the highest environmental standards; it should not to be used for other purposes than those specified under section one. It is always the responsibility of the user to take all necessary steps in order to fulfil the demands laid down in the local rules and legislation. The information herein is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.

The information given in this Safety Sheet is given in accordance with EEC-directives 91/155/EWG and 88/379/EWG.

Date: 12-1-2000

revision date: 19-01-2004